

## TECATRON

DIN-designation: PPS

Density: 1,35 g/cm<sup>3</sup>



Stock item **Rods, Plates, Tubes**

Non-stock item - special production

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
4	+ 0,1	+ 0,3	0,019	3000
5	+ 0,1	+ 0,4	0,030	3000
6	+ 0,1	+ 0,4	0,042	3000
8	+ 0,1	+ 0,5	0,075	3000
9	+ 0,1	+ 0,5	0,094	3000
10	+ 0,1	+ 0,5	0,115	3000
12	+ 0,2	+ 0,7	0,168	3000
16	+ 0,2	+ 0,7	0,293	3000
18	+ 0,2	+ 0,7	0,368	3000
20	+ 0,2	+ 0,7	0,452	3000
22	+ 0,2	+ 0,9	0,550	3000
25	+ 0,2	+ 0,9	0,706	3000
28	+ 0,2	+ 0,9	0,882	3000
30	+ 0,2	+ 0,9	1,01	3000
32	+ 0,2	+ 1,1	1,15	3000
36	+ 0,2	+ 1,1	1,45	3000
45	+ 0,3	+ 1,3	2,27	3000
50	+ 0,3	+ 1,3	2,79	3000
56	+ 0,3	+ 1,3	3,49	3000
60	+ 0,3	+ 1,6	4,02	3000

## TECATRON

DIN-designation: PPS

Density: 1,35 g/cm<sup>3</sup>



Stock item **Rods, Plates, Tubes**

Non-stock item - special production

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Plates

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
8 x 300	+ 0,2	+ 0,9	3,71	3000
8 x 500	+ 0,2	+ 0,9	6,06	3000
10 x 500	+ 0,2	+ 0,9	7,48	3000
12 x 500	+ 0,3	+ 1,5	9,15	3000
16 x 500	+ 0,3	+ 1,5	11,98	3000
18 x 500	+ 0,3	+ 1,5	13,40	3000
20 x 300	+ 0,3	+ 1,5	9,07	3000
20 x 500	+ 0,3	+ 1,5	14,82	3000
25 x 300	+ 0,3	+ 1,5	11,23	3000
25 x 500	+ 0,3	+ 1,5	18,37	3000
30 x 300	+ 0,5	+ 2,5	13,66	3000
30 x 500	+ 0,5	+ 2,5	22,34	3000
40 x 300	+ 0,5	+ 2,5	18,00	3000
40 x 500	+ 0,5	+ 2,5	29,40	3000
50 x 300	+ 0,5	+ 2,5	22,34	3000
50 x 500	+ 0,5	+ 2,5	36,50	3000

## TECATRON

DIN-designation: PPS

Density: 1,35 g/cm<sup>3</sup>



Stock item **Rods, Plates, Tubes**

Non-stock item - special production

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Tubes

Dimension (mm)	Tolerance outside min. (mm)	Tolerance outside max. (mm)	Tolerance inside min. (mm)	Tolerance inside max. (mm)	Weight (kg/m)	Stock-Length
255 / 0190	+ 2,00	+ 6,00	- 8,50	- 2,50	35,70	3000
360 / 0290	+ 2,00	+ 6,00	- 8,50	- 2,50	55,80	3000