

# TECASON P MT black

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods, Plates**

Non-stock item – special production **Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

## Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
4	+ 0,1	+ 0,3	0,018	3000
5	+ 0,1	+ 0,4	0,028	3000
6	+ 0,1	+ 0,4	0,040	3000
8	+ 0,1	+ 0,5	0,071	3000
9	+ 0,1	+ 0,5	0,089	3000
10	+ 0,1	+ 0,5	0,110	3000
11	+ 0,2	+ 0,9	0,138	3000
12	+ 0,2	+ 0,9	0,163	3000
13	+ 0,2	+ 0,9	0,190	3000
14	+ 0,2	+ 0,9	0,219	3000
15	+ 0,2	+ 0,9	0,250	3000
16	+ 0,2	+ 0,9	0,283	3000
18	+ 0,2	+ 0,9	0,356	3000
19	+ 0,2	+ 0,9	0,395	3000
20	+ 0,2	+ 0,9	0,436	3000
22	+ 0,2	+ 1,2	0,533	3000
25	+ 0,2	+ 1,2	0,683	3000
25,4	+ 0,00	+ 0,13	0,670	2440
28	+ 0,2	+ 1,2	0,851	3000
30	+ 0,2	+ 1,2	0,974	3000
32	+ 0,2	+ 1,2	1,11	3000
31,75	+ 0,00	+ 0,13	1,05	2440
36	+ 0,2	+ 1,6	1,41	3000
38,1	+ 0,00	+ 0,13	1,51	2440
40	+ 0,2	+ 1,6	1,73	3000
44,45	+ 0,00	+ 0,13	2,05	2440
45	+ 0,3	+ 2,0	2,20	3000
50	+ 0,3	+ 2,0	2,70	3000
50,8	+ 0,00	+ 0,13	2,67	2440
56	+ 0,3	+ 2	3,38	3000
57,15	+ 0,00	+ 0,76	3,42	2440
60	+ 0,3	+ 2,5	3,90	3000
63,5	+ 0,00	+ 0,76	4,22	2440

## TECASON P MT black

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods, Plates**

Non-stock item – special production **Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

65	+ 0,3	+ 2,5	4,56	3000
70	+ 0,3	+ 2,5	5,27	3000
69,85	+ 0,00	+ 0,76	5,10	2440
75	+ 0,4	+ 3	6,08	3000
76,2	+0,00	+ 0,76	6,06	2440
80	+ 0,4	+ 3	6,90	3000
88,9	+ 0,00	+ 0,76	8,24	2440
90	+ 0,5	+ 3,4	8,74	3000
100	+ 0,6	+ 3,8	10,79	3000
110	+ 0,7	+ 4,2	13,07	3000
120	+ 0,8	+ 4,6	15,56	3000
125	+ 0,8	+ 4,6	16,85	3000
135	+ 0,9	+ 5,4	19,72	3000
140	+ 0,9	+ 5,4	21,18	3000
150	+ 1	+ 5,8	24,32	3000

## TECASON P MT black

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods, Plates**

Non-stock item - special production **Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Plates

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
5 x 300	+ 0,2	+ 0,7	2,26	3000
6 x 300	+ 0,2	+ 0,7	2,67	3000
8 x 300	+ 0,2	+ 0,9	3,54	3000
10 x 300	+ 0,2	+ 0,9	4,37	3000
12 x 300	+ 0,3	+ 1,5	5,35	3000
16 x 300	+ 0,3	+ 1,5	7,00	3000
20 x 300	+ 0,3	+ 1,5	8,66	3000
25 x 300	+ 0,3	+ 1,5	10,73	3000
27 x 300	+ 0,5	+ 2,5	11,81	3000
30 x 300	+ 0,5	+ 2,5	13,06	3000
32 x 300	+ 0,5	+ 2,5	13,88	3000
40 x 300	+ 0,5	+ 2,5	17,20	3000
50 x 300	+ 0,5	+ 2,5	21,35	3000
60 x 300	+ 0,5	+ 3,5	25,70	3000
70 x 300	+ 0,5	+ 5	30,20	3000
80 x 300	+ 0,5	+ 5	34,30	3000

**TECASON P MT blue**  
DIN-designation: PPSU  
Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

## Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,670	2440
31,75	+ 0,00	+ 0,13	1,05	2440
38,1	+ 0,00	+ 0,13	1,51	2440
44,45	+ 0,00	+ 0,13	2,05	2440
50,8	+ 0,00	+ 0,13	2,67	2440
57,15	+ 0,00	+ 0,76	3,42	2440
63,5	+ 0,00	+ 0,76	4,22	2440
69,85	+ 0,00	+ 0,76	5,10	2440
76,2	+ 0,00	+ 0,76	6,06	2440
88,9	+ 0,00	+ 0,76	8,24	2440

## TECASON P MT blue lilac

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
9,5	+ 0,13	+ 0,00	0,095	2440

## TECASON P MT deep orange

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
9,5	+ 0,13	+ 0,00	0,105	2440

## TECASON P MT green

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,670	2440
31,75	+ 0,00	+ 0,13	1,05	2440
38,1	+ 0,00	+ 0,13	1,51	2440
44,45	+ 0,00	+ 0,13	2,05	2440
50,8	+ 0,00	+ 0,13	2,67	2440
57,15	+ 0,00	+ 0,76	3,42	2440
63,5	+ 0,00	+ 0,76	4,22	2440
69,85	+ 0,00	+ 0,76	5,10	2440
76,2	+ 0,00	+ 0,76	6,06	2440
88,9	+ 0,00	+ 0,76	8,24	2440

**TECASON P MT grey**  
DIN-designation: PPSU  
Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

## Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,670	2440
31,75	+ 0,00	+ 0,13	1,05	2440
38,1	+ 0,00	+ 0,13	1,51	2440
44,45	+ 0,00	+ 0,13	2,05	2440
50,8	+ 0,00	+ 0,13	2,67	2440
57,15	+ 0,00	+ 0,76	3,42	2440
63,5	+ 0,00	+ 0,76	4,22	2440
69,85	+ 0,00	+ 0,76	5,10	2440
76,2	+ 0,00	+ 0,76	6,06	2440
88,9	+ 0,00	+ 0,76	8,24	2440

## TECASON P MT ivory

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,670	2440
31,75	+ 0,00	+ 0,13	1,05	2440
38,1	+ 0,00	+ 0,13	1,51	2440
44,45	+ 0,00	+ 0,13	2,05	2440
50,8	+ 0,00	+ 0,13	2,67	2440
57,15	+ 0,00	+ 0,76	3,42	2440
63,5	+ 0,00	+ 0,76	4,22	2440
69,85	+ 0,00	+ 0,76	5,10	2440
76,2	+ 0,00	+ 0,76	6,06	2440
88,9	+ 0,00	+ 0,76	8,24	2440

## TECASON P MT light green

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
9,5	+ 0,13	+ 0,00	0,105	2440

## TECASON P MT raspberry red

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
9,5	+ 0,13	+ 0,00	0,105	2440

## TECASON P MT signal yellow

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
9,5	+ 0,13	+ 0,00	0,105	2440

## TECASON P MT sky blue

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
9,5	+ 0,13	+ 0,00	0,105	2440

## TECASON P MT yellow

DIN-designation: PPSU

Density: 1,29 g/cm<sup>3</sup>



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

### Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,670	2440
31,75	+ 0,00	+ 0,13	1,05	2440
38,1	+ 0,00	+ 0,13	1,51	2440
44,45	+ 0,00	+ 0,13	2,05	2440
50,8	+ 0,00	+ 0,13	2,67	2440
57,15	+ 0,00	+ 0,76	3,42	2440
63,5	+ 0,00	+ 0,76	4,22	2440
69,85	+ 0,00	+ 0,76	5,10	2440
76,2	+ 0,00	+ 0,76	6,06	2440
88,9	+ 0,00	+ 0,76	8,24	2440