

TECAFORM AH MT black

DIN-designation: POM-C

Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400

TECAFORM AH MT blue

DIN-designation: POM-C

Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item – special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,13	4,68	2400
76,2	+ 0,00	+ 0,13	6,59	2400
88,9	+ 0,00	+ 0,13	9,02	2400

TECAFORM AH MT brown
DIN-designation: POM-C
Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,13	+ 0,00	0,710	2400
38,1	+ 0,13	+ 0,00	1,64	2400
50,8	+ 0,13	+ 0,00	2,95	2400
63,5	+ 0,76	+ 0,00	4,68	2400
76,2	+ 0,76	+ 0,00	6,59	2400
88,9	+ 0,76	+ 0,00	9,02	2400

TECAFORM AH MT yellow
 DIN-designation: POM-C
 Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item – special production **Plates, Tubes**

Other sizes may be available on request.
 Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400

TECAFORM AH MT grey
DIN-designation: POM-C
Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item - special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400

TECAFORM AH MT green

DIN-designation: POM-C

Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item – special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400

TECAFORM AH MT lightblue

DIN-designation: POM-C

Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item – special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400

TECAFORM AH MT red
DIN-designation: POM-C
Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item – special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400

TECAFORM AH MT rust
DIN-designation: POM-C
Density: 1,41 g/cm³



Stock item **Rods**

Non-stock item – special production **Plates, Tubes**

Other sizes may be available on request.

Please contact your local sales team who can advise you on minimum order quantities for special production runs of non-stock items.

Rods

Dimension (mm)	Tolerance min.(mm)	Tolerance max.(mm)	Weight (kg/m)	Stock-Length
25,4	+ 0,00	+ 0,13	0,710	2400
38,1	+ 0,00	+ 0,13	1,64	2400
50,8	+ 0,00	+ 0,13	2,95	2400
63,5	+ 0,00	+ 0,76	4,68	2400
76,2	+ 0,00	+ 0,76	6,59	2400
88,9	+ 0,00	+ 0,76	9,02	2400